



COMHAN HOLLAND
ALUMINIUM

Also for endless
applications
in visual
communication



Varia-Click system

An innovative aluminium click system specially developed for decorative façade and wall covering. Possible surface treatments: **powder coating, anodising & sublimation (wood look, stone look and metal look).**

Varia-Click system... click and done!

Varia-Click is developed specially for decorative wall cladding for both indoor and outdoor use. It allows you to easily click aluminium profiles onto interior walls, ceilings and façades, among other things. The base profile is mounted first. Afterwards, the top profile is clicked on top of the base. In this way, the fixings always remain hidden and the whole is beautifully finished.

The top profile is also available in wood look! A perfect low-maintenance and lighter alternative to wood slats/profiles.

Ask for your
free sample!

Possible applications with Varia-Click:

- Creation of chic slatted walls (with or without lighting)
- Embellishment of walls and ceilings (indoors and outdoors)
- Acoustic application in combination with PET felt panels
- Concealing cables (indoors and outdoors)
- Applicable at trade fairs and exhibitions (stand construction)



Also available:
profiles in another
colour with matching
end cap





Mitred profiles in combination with a corner solution

Varia-Click with wood grain finish directly from stock

Do you want to use sustainable and recyclable material in your design, while at the same time retaining the warm look of traditional wood? Varia-Click profiles in wood grain finish are a perfect, low-maintenance and colourfast alternative to wooden block profiles! For example, Comhan supplies the top profiles directly from stock in the colours **Oak Textured (73)**, **Natural Oak Textured (78)**, and **American cherry Textured (18)**.

These aluminium profiles are sublimated: they look as if they are made of wood, but without the disadvantages of real wood.

Advantages compared to preserved wood:

- A natural look without the costs of wood.
- Ability to neatly hide cords and cables.
- Lighter in weight and at the same time strong enough, therefore extremely practical.
- The applied coating protects against environmental influences (painting not necessary).
- Sustainable material: aluminium is very easy to recycle (without loss of quality).

Explanation of sublimation technique

A mill (untreated) aluminium profile is first pre-painted with a powder coating. The profile is then covered with a sublimation transfer. To allow the decoration to be transferred to the profile itself, the latter is placed in an oven at a high temperature: thanks to a combination of heat and pressure, the pigment molecules are dispersed in the form of gas, passing through the pre-printed film support to the paint layer of the profile, definitively transferring to the aluminium.

Varia-Click 40x30

Aluminium profiles in wood grain effect sublimation finishes from stock:




Oak Textured 73



Natural Oak Textured 78



US Cherry Textured 18



1 139872 (139873*, 139880, 139877***, 139878****)**

Varia-Click 40x30 mm mill [139871]

2 139871 (139870*)

Varia-Click base profile 40 mm mill

* Anodised ** Oak Textured 73

*** Natural Oak Textured 78

**** US Cherry Textured 18

Varia-Click 40x30

Article number:	Article name:	Surface finish:
1. 139871	Varia-Click base profile 40 mm	Mill (untreated)
2. 139870	Varia-Click base profile 40 mm	Anodised
3. 139872	Varia-Click 40x30 mm	Mill (untreated)
3. 139893	Varia-Click 40x30 mm	Anodised
4. 139880	Varia-Click 40x30 mm	Oak Textured FS 73
5. 139877	Varia-Click 40x30 mm	Natural Oak Textured FS 78
6. 139878	Varia-Click 40x30 mm	US Cherry Textured FS 18
7. 139879	Opal LED Cover Anti-UV LT 61%	
8. 139875	Varia-Click End cap 40x30	Mill (untreated)
9. 139921	Varia-Click End cap 40x30	Anodised
10. 139922	Varia-Click End cap 40x30	Powdercoated RAL 8011 → 139880
11. 139923	Varia-Click End cap 40x30	Powdercoated RAL 1011 → 139877
12. 139924	Varia-Click End cap 40x30	Powdercoated RAL 8028 → 139878
13. 139876	Varia-Click Corner 40 mm	Mill (untreated)
14. 139955	EPDM rubber 30x2 mm Varia-Click	RoL = 25 meter

Varia-Click 50x30

Aluminium profiles in wood grain effect sublimation finishes from stock:



Oak Textured 73



Natural Oak Textured 78



US Cherry Textured 18



3 139914 (139915*, 139918, 139916***, 139917****)**

Varia-Click 50x30 mm mill [139910]

4 139910 (139912*)

Varia-Click base profile 50 mm mill

End caps
available in a
matching colour,
anodised or
powder coated!

* Anodised ** Oak Textured 73

*** Natural Oak Textured 78 **** US Cherry Textured 18

Varia-Click 50x30

Article number:	Article name:	Surface finish:
1. 139910	Varia-Click base profile 50 mm	Mill (untreated)
2. 139912	Varia-Click base profile 50 mm	Anodised
3. 139914	Varia-Click 50x30 mm	Mill (untreated)
4. 139915	Varia-Click 50x30 mm	Anodised
5. 139918	Varia-Click 50x30 mm	Oak Textured FS 73
6. 139916	Varia-Click 50x30 mm	Natural Oak Textured FS 78
7. 139917	Varia-Click 50x30 mm	US Cherry Textured FS 18
8. 139919	Varia-Click End cap 50x30	Mill (untreated)
9. 139925	Varia-Click End cap 50x30	Anodised
10. 139926	Varia-Click End cap 50x30	Powdercoated RAL 8011 → 139918
11. 139927	Varia-Click End cap 50x30	Powdercoated RAL 1011 → 139916
12. 139928	Varia-Click End cap 50x30	Powdercoated RAL 8028 → 139917
13. 139920	Varia-Click Corner 50 mm	Mill (untreated)
14. 139956	EPDM rubber 40x2 mm Varia-Click	Rol = 25 meter

Varia-Click 50x50

Aluminium profiles in wood grain effect sublimation finishes from stock:




Oak Textured 73



Natural Oak Textured 78



US Cherry Textured 18



4 **139865 (139866**, 139867***, 139868****)**
Varia-Click 50x50 mm mill [139910]

5 **139910 (139912*)**
Varia-Click base profile 50 mm mill

* Anodised ** Oak Textured 73
*** Natural Oak Textured 78 **** US Cherry Textured 18

End caps available in a matching colour, anodised or powder coated!

Varia-Click 50x50

Article number:	Article name:	Surface finish:
1. 139910	Varia-Click base profile 50 mm	Mill (untreated)
2. 139912	Varia-Click base profile 50 mm	Anodised
3. 139865	Varia-Click 50x50 mm	Mill (untreated)
4. 139869	Varia-Click 50x50 mm	Anodised
5. 139866	Varia-Click 50x50 mm	Oak Textured FS 73
6. 139867	Varia-Click 50x50 mm	Natural Oak Textured FS 78
7. 139868	Varia-Click 50x50 mm	US Cherry Textured FS 18
8. 139864	Varia-Click End cap 50x50	Mill (untreated)
9. 139936	Varia-Click End cap 50x50	Anodised
10. 139937	Varia-Click End cap 50x50	Powdercoated RAL 8011 → 139866
11. 139938	Varia-Click End cap 50x50 mm	Powdercoated RAL 1011 → 139867
12. 139939	Varia-Click End cap 50x50 mm	Powdercoated RAL 8028 → 139868
13. 139920	Varia-Click Corner 50 mm	Mill (untreated)
14. 139956	EPDM rubber 40x2 mm Varia-Click	Rol = 25 meter

Varia-Click 73x30

Aluminium profiles in wood grain effect sublimation finishes from stock:




Oak Textured 73



Natural Oak Textured 78



US Cherry Textured 18



* Anodised ** Oak Textured 73

*** Natural Oak Textured 78 **** US Cherry Textured 18

6 139889 (139894*, 139900, 139890***, 139891****)**
Varia-Click 73x30 mm mill
[139887]

7 139887 (139888*)
Varia-Click base profile 73 mm
mill

End caps
available in a
matching colour,
anodised or
powder coated!

Varia-Click 73x30

Article number:	Article name:	Surface finish:
1. 139887	Varia-Click basisprofiel 73 mm	Mill (untreated)
2. 139888	Varia-Click basisprofiel 73 mm	Anodised
3. 139889	Varia-Click 73x30 mm	Mill (untreated)
4. 139894	Varia-Click 73x30 mm	Anodised
5. 139900	Varia-Click 73x30 mm	Oak Textured FS 73
6. 139890	Varia-Click 73x30 mm	Natural Oak Textured FS 78
7. 139891	Varia-Click 73x30 mm	US Cherry Textured FS 18
8. 139892	Varia-Click End cap 73x30 mm	Mill (untreated)
9. 139901	Varia-Click End cap 73x30 mm	Anodised
10. 139902	Varia-Click End cap 73x30 mm	Powdercoated RAL 8011 → 139900
11. 139903	Varia-Click End cap 73x30 mm	Powdercoated RAL 1011 → 139890
12. 139896	Varia-Click End cap 73x30 mm	Powdercoated RAL 8028 → 139891
13. 139893	Varia-Click Corner 73 mm	Mill (untreated)
14. 139957	EPDM rubber 60x2 mm Varia-Click	RoL = 25 meter

Varia-Click 73x70

Aluminium profiles in wood grain effect sublimation finishes from stock:




Oak Textured 73



Natural Oak Textured 78



US Cherry Textured 18



9 139940 (139941*, 139943, 139942***, 139944****)**
Varia Click 73 x 70 mm mill

10 139887 (139888*)
Varia-Click base profile 73 mm mill

* Anodised
** Oak Textured 73
*** Natural Oak Textured 78
**** US Cherry Textured 18

End caps available in a matching colour, anodised or powder coated!

Varia-Click 73x70

Article number:	Article name:	Surface finish:
1. 139887	Varia-Click base profile73	Mill (untreated)
2. 139888	Varia-Click base profile 73	Anodised
3. 139940	Varia-Click 73x70 mm	Mill (untreated)
4. 139941	Varia-Click 73x70 mm	Anodised
5. 139942	Varia-Click 73x70 mm	Natural Oak Textured FS 78
6. 139943	Varia-Click 73x70 mm	Oak Textured FS 73
7. 139944	Varia-Click 73x70 mm	US Cherry Textured FS 18
8. 139904	Varia-Click End cap 73x70	Mill (untreated) t.b.v.139940
9. 139905	Varia-Click End cap 73x70	Anodised t.b.v. 139941
10. 139906	Varia-Click End cap 73x70	Powdercoated RAL 8011 → 139942
11. 139907	Varia-Click End cap 73x70	Powdercoated RAL 1011 → 139942
12. 139908	Varia-Click End cap 73x70	Powdercoated RAL 8028 → 139944
13. 139893	Varia-Click Corner 60x60/69	Mill (untreated) [139887/89
14. 139957	EPDM rubber 60x2 mm Varia-Click	Rol = 25 meter

Varia-Click Wall-Mount Profile 200

The latest addition to our range is the Varia-Click Wall-Mount Profile 200 mm. This wall-mount profile allows you to cover a part of the wall in one go. You can click the Varia-Click profiles onto the back faster and always accurately. Mainly extremely useful for attaching aluminium square tubes to high walls and façades.


The aluminium wall-mount profile 200 can be combined with the top profiles 40x30 mm and 73x30 mm.




Various corner solutions and finishes

The new aluminium wall-mount profile can be made to fit on a wall in various ways. The separate base profiles 40 mm and 73 mm can be used, in combination with aluminium profiles such as a corner profile or flat bar (2 mm thick). These aluminium profiles can also neatly cover the top of the wall-mount profile.

Comhan supplies all aluminium profiles directly from stock (mill/untreated) and upon request anodised or powder-coated in a matching colour.



* black anodised



Example of installation:
fitted with a separate Varia-Click base profile and finished with a powder coated corner profile

Varia-Click Wall-Mount Profile 200

Wall-mount profile versus 'loose' base profiles

The advantage of this aluminium wall-mount profile compared to the 'loose' Varia-Click base profiles is that you no longer have to measure the distance between the profiles. The distance on the wall-mount profile is, therefore, always the same. The Varia-Click wall-mount profile 200 mm can be combined with the top profiles 40x30 mm and 73x30 mm.

Do you want to have control over the distance between the profiles and/or click other dimensions onto the wall? In that case it is better to order and mount the single base and top profiles separately.

Varia-Click Wall-Mount Profile 200

Article number:	Article name:	Surface finish:
1. 139885	Varia-Click Wall-mount profile 200 mm	Mill (untreated)
2. 139886	Varia-Click Wall-mount profile 200 mm	Black anodised
3. 139872	Varia-Click 40x30 mm	Mill (untreated)
4. 139880	Varia-Click 40x30 mm	Oak Textured FS 73
5. 139877	Varia-Click 40x30 mm	Natural Oak Textured FS 78
6. 139878	Varia-Click 40x30 mm	US Cherry Textured FS 18
7. 139889	Varia-Click 73x30 mm	Mill (untreated)
8. 139900	Varia-Click 73x30 mm	Oak Textured 73
9. 139890	Varia-Click 73x30 mm	Natural Oak Textured 78
10. 139891	Varia-Click 73x30 mm	US Cherry Textured 18



Comhan supplies the aluminium Varia-Click profiles directly from stock at standard lengths of 6100 mm in mill (untreated) and three wood colours: oak textured (73), natural oak textured (78) and American cherry textured (18).

On request, the profiles can also be cut to size.

Do you want the profiles in a different colour?

We arrange this for you up from 1 piece!

- **Wood, stone and metal look** sublimation finishes
- **Colour anodised**
- Powder coated in **RAL colour**

Would you like to receive more information?

Please contact us for additional information.

We are happy to advise you!



Scan the QR code for all the wood look, stone look and metal look colours



Profiles in a different size or a customer-specific profile


In addition to the standard range, Comhan supplies many customer-specific profiles for various projects. Do you need a Varia-Click profile in a specific size, or another unique extrusion profile? This is possible up from 500 kg. We are happy to help you with the development and production of a new profile, and we keep it in stock for you.

Comhan can offer you:

- **More than 70 years of technical knowledge** to create an optimised aluminium profile tailored to your needs.
- **Best choice-for-purpose** from an extensive selecting of manufacturers.
- Available from stock so always **delivered just in time.**
- Always with the best optimised surface treatment for your purpose: **powder coating, anodising & sublimation.**
- Virtually all 3D (CNC) sheet and profile processing operations under one roof.

Would you like to receive more information?

Let us think along with you and we will offer you the best solution for aluminium extrusion. Contact our specialists at **+31 297 513 636** or **comhan@comhan.com**.





www.comhan.com

Order our free sign catalogue via the website



COMHANHOLLAND
ALUMINIUM

NL • Amsterdamseweg 27 • 1422 AC Uithoorn • Holland
T +31 (0)297 513 636 • E comhan@comhan.com

DE • Neue Straße 23 • D 58135 Hagen • Deutschland
T +49 (0)2331 625 1900 • F +49 (0)2331 625 1927 • E comhan@comhan.de